

Attorney Docket No. 9400-150

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Aaron et al.
Application No.: 10/675,517
Filed: September 30, 2003
Title: *Systems And Methods For Providing Alerts*

U.S. Patent No.: 7,890,483
Issued: February 15, 2011
Confirmation No: 6101

June 22, 2011


Commissioner for Patents
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR ENTRY OF CERTIFICATE OF CORRECTION UNDER
No. 35 U.S.C. §254 AND 37 C.F.R. §1.322**

Sir:

The Assignee of record for the above-referenced patent hereby requests, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, that a Certificate of Correction be issued. This request is made in order to correct the mistakes incurred through the fault of the U.S. Patent and Trademark Office. The mistakes appearing in the patent are set forth with corrections on the Certificate of Correction attached herewith.

No fee is believed due. However, the Commissioner is authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-0220.



Respectfully submitted,

D. Scott Moore
Registration No.: 42,011

Customer No.: 39072
Myers Bigel Sibley & Sajovec, P.A.
P. O. Box 37428, Raleigh, NC 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401

CERTIFICATION OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4) to the U.S. Patent and Trademark Office on June 22, 2011


Lanie A. Dobson

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,890,483

APPLICATION NO.: 10/675,517

ISSUE DATE: February 15, 2011

INVENTOR(S) : Aaron et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

Column 13, Claim 4, Line 27: Please correct "re-evaluating " to read -- evaluating --

Claim 9, Line 47: Please correct "sensor interface;" to read -- sensor; --

Lines 49-50: Please correct " sensor interface" to read -- sensor --

Column 14, Claim 9, Line 2: Please correct "for the personnel"
to read -- for personnel --

Claim 16, Line 29: Please correct "for the personnel"
to read -- for personnel --

MAILING ADDRESS OF SENDER:

Myers, Bigel, Sibley & Sajovec

P.O. Box 37428

Raleigh, NC 27627